

**Amendment to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (currently amended) A playlist generator apparatus comprising:

a first selector device that is ~~configured to access~~accesses and ~~search~~searches at least one database source of material and ~~to provide~~provides therefrom a first subset of identifications of items within the at least one database source of material at a highest hierarchical level, based on a first set of parameters corresponding to a first set of user preferences, further wherein the first selector device is ~~configured to access~~accesses and ~~search~~searches available database sources of material on a weekly basis to maintain the first subset of identifications of items up to date, and

a second selector device operatively coupled to the first selector device, wherein the second selector device is ~~configured to search~~searches the first subset of identifications at a lower hierarchical level based on a second set of parameters corresponding to a second set of user preferences, and ~~to provide~~provides therefrom a second subset of identifications of items within the at least one database source of material, wherein the second subset corresponds to a playlist that is ~~adapted to be used~~ by a rendering device for a subsequent rendering of the items identified in the second subset.

2. (previously presented) The playlist generator apparatus of claim 1, wherein

the first set of parameters comprise parameters corresponding to time-independent user preferences, and

the second set of parameters comprise parameters corresponding to user preferences at a particular time.

3. (previously presented) The playlist generator apparatus of claim 1, wherein

the first set of parameters comprise parameters corresponding to event-

independent user preferences, and

the second set of parameters comprise parameters corresponding to user preferences based upon an occurrence of an event.

4. (previously presented) The playlist generator apparatus of claim 1, wherein the first set of parameters comprise parameters corresponding to general user preferences, wherein the general user preferences include constant preferences, and the second set of parameters comprise parameters corresponding to specific user preferences, wherein the specific user preferences include dynamic time-dependent or event-dependent entertainment preferences.

5. (previously presented) The playlist generator apparatus of claim 1, wherein the database source of material includes one or more Internet web-sites.

6. (currently amended) The playlist generator apparatus of claim 1, further including non-volatile memory that ~~is configured to store~~ stores the first subset of identifications, wherein the second selector device ~~is further configured to search~~ searches the first subset of identifications at the lower hierarchial level, based on a third set of parameters corresponding to a third set of user preferences, and ~~to provide~~ provides therefrom a third subset of identifications of items within the database source of material, wherein the third subset corresponds to another playlist that is ~~adapted to be used by a~~ rendering device for a subsequent rendering of the items identified in the third subset.

7. (previously presented) The playlist generator apparatus of claim 1, wherein the first set of parameters includes one or more parameters for searching the database source of material based on a frequency of access of the items within the database source of material, and the first selector device is further configured to determine a measure of requests

for each item within the database source of material by a plurality of users, and to provide therefrom the first subset of identifications of items, based on the measure of requests for each item.

8. (previously presented) The playlist generator apparatus of claim 7, wherein the first selector device is further configured to provide the first subset of identifiers based on a set of parameters corresponding to general user preferences, and wherein the second set of parameters corresponds to specific user preferences.

9. (previously presented) The playlist generator apparatus of claim 7, wherein the first selector device is further configured to provide the first subset of identifiers based on a set of parameters corresponding to general user preferences, and the second set of parameters corresponding to user preferences based upon a particular event.

10. (currently amended) The playlist generator apparatus of claim 7, further including non-volatile memory that is configured to store stores the first subset of identifications, wherein the second selector device is further configured to search searches the first subset of identifications at the lower hierarchial level, based on a third set of parameters corresponding to a third set of user preferences, and to provide provides therefrom a third subset of identifications of items within the database source of material, wherein the third subset corresponds to another playlist that is adapted to be used by a rendering device for a subsequent rendering of the items identified in the third subset.

11. (currently amended) A system comprising:

a playlist generator apparatus that ~~is configured to provide~~ provides a set of identifications of select items within at least one database source of material, and  
a rendering device, operably coupled to the playlist generator apparatus, wherein the rendering device ~~is configured to render~~ renders the select items in response to the set of identifications of the select items;

wherein

the playlist generator apparatus includes:

a first selector device that ~~is configured to access~~ accesses and searches the at least one database source of material and ~~to provide~~ provides therefrom a first subset of identifications of items within the at least one database source of material at a highest hierarchial level, based on a first set of parameters corresponding to a first set of user preferences, further wherein the first selector device ~~is configured to access~~ accesses and search searches available database sources of material on a weekly basis to maintain the first subset of identifications of items up to date, and

a second selector device operatively coupled to the first selector device, wherein the second selector device ~~is configured to search~~ searches the first subset of identifications at a lower hierarchial level based on a second set of parameters corresponding to a second set of user preferences, and ~~to provide~~ provides therefrom the set of identifications of the select items.

12. (previously presented) The system of claim 11, wherein

the first set of parameters includes parameters corresponding to time-independent user preferences, and

the second set of parameters includes parameters corresponding to user preferences at a particular time.

13. (previously presented) The system of claim 11, wherein  
the database source of material includes one or more Internet web-sites.
14. (previously presented) The system of claim 11, further including  
non-volatile memory that is configured to store the first subset of identifications,  
wherein the second selector device is operatively coupled to the non-volatile memory to  
facilitate generation of multiple sets of identifications of select items at the lower  
hierarchical level based on the first subset of identifications at the first hierarchial level.
15. (previously presented) The system of claim 11, wherein  
the first set of parameters includes one or more parameters for searching the  
database source of material based on a frequency of access of the items within the  
database source of material, and  
the first selector device is further configured to determine a measure of requests  
for each item within the database source of material by a plurality of users, and to  
provide therefrom the first subset of identifications of items, based on the measure of  
requests for each item.
16. (previously presented) The system of claim 15, wherein  
the first selector is further configured to provide the first subset of identifiers  
based on a set of parameters corresponding to general user preferences, and  
wherein the second set of parameters corresponds to a set of specific user  
preferences.
17. (currently amended) A method of generating a playlist in an entertainment system,  
comprising:  
accessing and searching via a first selector device at least one database source  
of material at a highest hierarchical level based on a first set of parameters  
corresponding to a first set of user preferences to provide thereby a first subset of

identifications of items within the at least one database source of material, wherein accessing and searching further include accessing and searching available database sources of material on a weekly basis to maintain the first subset of identifications of items up to date, and

generating the playlist from the first subset of identifications of items, wherein generating includes searching via a second selector device the first subset of identifications at a subsequent hierarchical level based on a second set of parameters corresponding to a second set of user preferences, and to provide therefrom a second subset of identifications of items within the at least one database source of material, wherein the second subset corresponds to the playlist that is ~~adapted to be used~~ by a rendering device for a subsequent rendering of the items identified in the second subset.

18. (previously presented) The method of claim 17, wherein

the first set of parameters includes parameters corresponding to substantially time-invariant user preferences, and

the second set of parameters includes parameters corresponding to user preferences at a particular time.

19. (previously presented) The method of claim 17, wherein

the first set of parameters includes one or more parameters for searching the database source of material based on accesses to the items within the database source of material, and

searching the database source of material further includes

determining a frequency of access of each of a plurality of items within the database source of material, and

selecting the identifications of items for inclusion in the first subset of identifications based at least in part on the frequency of access of each of the plurality of items.

20. (previously presented) The method of claim 19, wherein  
selecting the identifications of items for inclusion in the first subset is also based  
on parameters corresponding to substantially time-invariant user preferences, and  
the second set of parameters includes parameters corresponding to user  
preferences at a particular time.

21. (previously presented) The method of claim 17, further including  
storing the first subset of identifications, and  
generating another playlist from the stored first subset of identifications of items,  
based on a further set of parameters.